

2016 iCare BadgerCare+ P4P Measure Overview

The 12 measures below represent the target areas for the 2016 BadgerCare+ P4P program along with the cut points needed to achieve a high, medium, or low rating.

Measure	High	Medium	Low
<p>Emergency Room Utilization (AMB) *Reverse measure – Lower score is better</p> <p>Number of ED visits during the measurement year that do not result in an inpatient stay, regardless of the intensity or duration of the visit.</p> <ul style="list-style-type: none"> • ED Visits per 1000 Mbr/Month (not %) • Does not include Urgent Care visits • Does not include mental health or chemical dependency services 	50.7% or lower	55.2% - 50.8%	55.3% or higher
<p>Antidepressant Medication Management- Continuation (AMM)</p> <p>Percentage of members 18 years of age and older who were diagnosed with a new episode of major depression and treated with antidepressant medication, and who remained on an antidepressant medication for at least 180 days (6 months).</p>	40.5% or higher	40.4% - 34%	33.9% or lower
<p>Breast Cancer Screening (BCS)</p> <p>Percent of females 50-74 who had a mammogram during the measurement year or the year prior.</p>	66% or higher	65.9% - 58.3 %	58.2% or lower
<p>Comprehensive Diabetes Care – HbA1c Testing</p> <p>Percent of diabetic members who had an HbA1c test during the measurement year.</p>	89.6% or higher	89.5% - 86.2%	86.1% or lower
<p>Childhood Immunization (CIS)</p> <p>Childhood Immunizations for children who turn two (2) during the measurement year.</p> <p>>This measure is an admin and hybrid measure. WIR will be providing data.</p> <p><u>The children need to have the following immunizations by the end of the year:</u></p> <ul style="list-style-type: none"> • DTaP: At least four DTaP vaccinations (DTaP Vaccine Administered Value Set), with different dates of service on or before the child's second birthday. <ul style="list-style-type: none"> > <i>A vaccination administered prior to 42 days after birth does not count.</i> • Hepatitis A: Either of the following on or before the child's second birthday meet criteria: <ul style="list-style-type: none"> ⇒ At least one Hepatitis A vaccination (Hepatitis A Vaccine Administered Value Set), with a date of service on or before the child's second birthday. ⇒ History of Hepatitis A illness (Hepatitis A Value Set). • Hepatitis B: Either of the following on or before the child's second birthday meet criteria: <ul style="list-style-type: none"> ⇒ At least three hepatitis B vaccination (Hepatitis B Vaccine Administered Value Set), with different dates of service. ⇒ History of hepatitis illness (Hepatitis B Value Set). • HiB: At least three HiB vaccinations (Haemophilus Influenza Type B (HiB) Vaccine Administered Value Set) Vaccine Administered Value Set), with different dates of service on or before the child's second birthday. <ul style="list-style-type: none"> > <i>A vaccination administered prior to 42 days after birth does not count.</i> • Influenza: At least two influenza vaccinations (Influenza Vaccine Administered Value Set), with different dates of service on or before the child's second birthday. <ul style="list-style-type: none"> > <i>A vaccination administered prior to six months (180 days) after birth does not count.</i> • IPV: At least three IPV vaccinations (Inactivated Polio Vaccine [IPV] Administered Value Set), with different dates of service on or before the child's second birthday. <ul style="list-style-type: none"> > <i>A vaccination administered prior to 42 days after birth does not count</i> • MMR: ⇒ At least one MMR vaccination (Measles/Rubella Vaccine Administered Value Set). <ul style="list-style-type: none"> ⇒ At least one measles and rubella vaccination (Measles/Rubella Vaccine Administered Value Set) and at least one mumps vaccination (Mumps Vaccine Administered Value Set; Mumps Value Set) on the same date of service or on different dates of service. ⇒ At least one measles vaccination (Measles Vaccine Administered Value Set) and at least one mumps vaccination (Mumps Vaccine Administered Value Set) and at least one rubella vaccination (Rubella Vaccine Administered Value Set) on the same date of service or on different dates of service. ⇒ History of measles (Measles Value Set), mumps (Mumps Value Set), or rubella (Rubella Value Set) illness. 	79.4% or higher	79.3% - 75.5%	75.4% or lower

<ul style="list-style-type: none"> • PCV (Pneumococcal Conjugate): At least four pneumococcal conjugate vaccinations (Pneumococcal Conjugate Vaccine Administered Value Set), with different dates of service on or before the child's second birthday. <i>> A vaccination administered prior to 42 days after birth does not count.</i> • Rotavirus (RV): Any of the following on or before the child's second birthday meet criteria: <i>> A vaccination administered prior to 42 days after birth does not count</i> <ul style="list-style-type: none"> ⇒ At least two doses of the two-dose rotavirus vaccine (Rotavirus Vaccine [2 Dose Schedule] Administered Value Set) on different dates of service. ⇒ At least three doses of the three-dose rotavirus vaccine (Rotavirus Vaccine [3 Dose Schedule] Administered Value Set) on different dates of service. ⇒ At least one dose of the two-dose rotavirus vaccine (Rotavirus Vaccine [2 Dose Schedule] Administered Value Set) and at least two doses of the three-dose rotavirus vaccine (Rotavirus Vaccine [3 Dose Schedule] Administered Value Set), all on different dates of service. • VZV: Either of the following on or before the child's second birthday meet criteria: <ul style="list-style-type: none"> ⇒ At least one VZV vaccination (VZV Vaccine Administered Value Set), with a date of service on or before the child's second birthday. ⇒ History of varicella zoster (e.g., chicken pox) illness (Varicella Zoster Value Set). 			
<p>Follow-Up After Mental Health Hospitalization - 30 Days (FUH 30)</p> <p>The percentage of discharges for members who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner.</p> <ul style="list-style-type: none"> • 30-Day Follow-Up = An outpatient visit, intensive outpatient encounter or partial hospitalization with a mental health practitioner within 30 days after discharge. • Includes outpatient visits, intensive outpatient encounters, or partial hospitalizations that occur on the date of discharge. 	75.3% or higher	75.2% - 66.6%	66.5% or lower
<p>Initiation and Engagement of AOD Treatment – Engagement (IET)</p> <p>Members with a new episode of alcohol or other drug dependence (AOD) between January 1 and November 15 (Intake period) who had one of the following: An outpatient, intensive outpatient, or partial hospitalization visit with a diagnosis of AOD / A detoxification visit / An ED visit / An inpatient discharge with a diagnosis of AOD/ A negative diagnosis history (AOD within 60 days).</p> <ul style="list-style-type: none"> • <u>Engagement Phase:</u> Members who initiate treatment and have two or more additional services with a diagnosis of AOD within 30 days of the initiation visit. <p>Note: <i>When the Initiation of AOD treatment and the initial date of service during the intake period (January 1 – November 15) occur on the same day, they must be with different providers.</i></p>	15.0% or higher	14.9% - 10.1%	10.0% or lower
<p>Timely Prenatal Care (PPC)</p> <p>The percentage of deliveries of live births between November 6 of the year prior to the measurement year and November 5 of the measurement year that received a prenatal care visit as a member of the plan in the first trimester or within 42 days of enrollment in the plan.</p> <ul style="list-style-type: none"> > <i>Must be enrolled 43 days prior to delivery through 56 days after delivery.</i> > <i>This measure is an admin and hybrid measure.</i> 	87.4% or higher	87.3% - 80.7%	80.6% or lower
<p>Post-partum Care (PPC)</p> <p>The percentage of deliveries of live births between November 6 of the year prior to the measurement year and November 5 of the measurement year that received a postpartum visit for a pelvic exam or postpartum care on or between 21 and 56 days after delivery.</p> <ul style="list-style-type: none"> > <i>Must be enrolled 43 days prior to delivery through 56 days after delivery.</i> > <i>This measure is an admin and hybrid measure.</i> 	68.9% or higher	68.8% - 62.8%	62.7% or lower

<p>Tobacco Cessation Counseling</p> <p>The percentage of members 12 years of age or older who were identified as tobacco users and who received tobacco cessation counseling during the measurement year.</p> <p>The member is compliant if he or she received counseling to quit smoking either face-to-face or by phone as identified by a claim or encounter code.</p> <ul style="list-style-type: none"> • Striving to Quit- Members that received tobacco cessation treatment through the Quit Line or First Breath count in the measure. 	67% or higher	66.9% - 62%	61.9% or lower
<p>Dental Visit - Children (ADV-Children)</p> <p>The percentage of members 2–20 years of age who had at least one dental visit during the measurement year.</p> <p>> Dental Practitioner = Doctor of Dental Surgery (DDS), Doctor of Dental Medicine (DMD), Certified and licensed dental hygienist, dental services provided by a physician also count.</p> <p>> <i>Only applies to members who reside in Milwaukee, Racine, Kenosha, Waukesha, Ozaukee, and Washington counties.</i></p>	45.6% or higher	45.5% - 40.2%	40.1% or lower
<p>Dental Visit - Adults (ADV-Adults)</p> <p>The percentage of members 21 - 64 years of age who had at least one dental visit during the measurement year.</p> <p>> Dental Practitioner = Doctor of Dental Surgery (DDS), Doctor of Dental Medicine (DMD), Certified and licensed dental hygienist, dental services provided by a physician also count.</p> <p>> <i>Only applies to members who reside in Milwaukee, Racine, Kenosha, Waukesha, Ozaukee and Washington counties.</i></p> <p>> <i>Member needs to be enrolled in the same HMO continuously for 11 months of the measurement year.</i></p>	31% or higher	30.9% - 25%	24.9% or lower